

Cantidad	Unidad	No parte	Descripcion	Detalle
1	pieza	307-6558	ENTRADA INFERIOR DE RADIADOR 307-6558 CATERPILLAR	3076558 - Caterpillar CORE AS-AFTERCOOLER
1	pieza	297-6999	BOMBA HIDRAULICA 297-6999 CATERPILLAR	PUMP GP-HYDRAULIC
1	pieza	177-9953	ALTERNADOR G 177-9953 CATERPILLAR	ALTERNATOR GP-CHARGING 24 Volt 80 Amps Heavy Duty Alternator
1	pieza	207-1556	MOTOR DE ARRANQUE 207-1556 CATERPILLAR	STARTING MOTOR GP-ELECTRIC, 24 Volt Heavy Duty Electric Starting Motor
1	pieza	6V-3175	CILINDRO G01 6V-3175 CATERPILLAR	SERVICE TOOL HYDRAULIC CYLINDER 55 TON 2" STROKE
2	pieza	100-4047	CUCHILLA 100-4047 CATERPILLAR	CUTTING EDGE
1	pieza	100-4046	BORDE 100-4046 CATERPILLAR	HEAVY DUTY CUTTING EDGE CENTER
1	pieza	3E-1906	COMPRESOR DE AIRE 3E-1906 CATERPILLAR	COMPRESSOR, Cat® Refrigerant Compressor (24 V Clutch) Attributes: <ul style="list-style-type: none"> • 7 cylinder compressor • Cast aluminum body • Clutch voltage: 24 V • Belt type: A (Non-cog) • Refrigerant compatibility: R134a • Includes pigtail harness with 2 pin DT connector • Recommended RPM: 2500±200 • Max RPM: 4000
8	pieza	100-4043	EDGE END 100-4043 CATERPILLAR	HEAVY DUTY CUTTING EDGE END
3	pieza	165-9070	CEPILLO 165-9070 CATERPILLAR	BRISTLE KIT
1	pieza	316-6864	BOMBA 316-6864 CATERPILLAR	PUMP GP-F XF, Fuel Transfer Pump GRUPO DE BOMBA: TRANSFERENCIA DE COMBUSTIBLE, Bomba de transferencia de combustible
1	pieza	155-8538	CODO SALIDA DE TURBO CARGADOR 155-8538 CATERPILLAR	ELBOW-EXHAUS
2	pieza	165-9069	CEPILLO 165-9069 CATERPILLAR	BRISTLE KIT
3	pieza	248-1168	KIT SEAL H.C 248-1168 CATERPILLAR	KIT-SEAL-H.C, Hydraulic Cylinder Seal Kit
5	pieza	8T-7781	NOZ 8T-7781 CATERPILLAR	
3	pieza	135-9395	CUCHILLA 135-9395 CATERPILLAR	CUTTING EDGE

Cantidad	Unidad	No parte	Descripcion	Detalle
1	pieza	241-9466	MOTOR GP PRO	
1	pieza	217-8947	ACOPAMIENTO 217-8947 CATERPILLAR	TUBE ASSEMBLY, Fluid Carrying Tube Assembly
2	pieza	330-5012	MOTOR GP-WIP 330-5012 CATERPILLAR	WIPER MOTOR ASSEMBLY
				ELECTRONIC FLASHER, Cat® Flasher (Solid State)(24 V) Attributes:
1	pieza	217-8166	FLASHER 217-8166 CATERPILLAR	<ul style="list-style-type: none"> • 6 pin connector • 2 bolt mounting • Aluminum and plastic • Highly durable
5	pieza	214-7635	BRAZO LIMPADOR 214-7635 CATERPILLAR	ARM ASSEMBLY-WIPER
38	pieza	225-3187	LATCH 225-3187 CATERPILLAR	LATCH ASSEMBLY
3	pieza	241-9437	EDGE 241-9437 CATERPILLAR	
				SENSOR PASIVO, Cat® Passive fuel sensor with sealed column Reed switch array Attributes:
3	pieza	231-2105	SENDER AS 231-2105 CATERPILLAR	<ul style="list-style-type: none"> • Reed switches with a float and magnet keeps fuel and moisture from harming sensor components. • Designed to operate in difficult conditions (High vibration and contaminated fuel) • Top mounted configuration (8 hole) • Range - 326mm • Resistance range (30-240 Ohm) • Inlet and return tubes integrated with flange mount
				SENSOR DE VELOCIDAD, Cat® Passive Low-Output Thru-Mold Speed Sensor Attributes:
4	pieza	4P-5820	PICKUP A 4P-5820 CATERPILLAR	<ul style="list-style-type: none"> • Low output • Available in several fixed nose lengths as well as adjustable depth housings (with jam nut)
1	pieza	9U-6751	SLEEVE AS	
3	pieza	8C-6358	BLOQUEADOR 8C-6358 CATERPILLAR	

Cantidad	Unidad	No parte	Descripcion	Detalle
1	pieza	238-6728	TUBO DE PASO 238-6728 CATERPILLAR	TUBI DE TRANSPORTE, Fluid Carrying Tube Assembly Attributes: • Fluid Carrying • Designed to withstand application specific working pressure • OEM direct replacement
5	pieza	176-6219	VALVULA SOLENOIDE 176-6219 CATERPILLAR	VALVULA SOLENOIDE, Cat® Solenoid 24V ESO Attributes: • OEM direct replacement part • 24V ESO
2	pieza	193-8329	ABRAZADERA 193-8329 CATERPILLAR	
1	pieza	218-6204	SOPORTE 218-6204 CATERPILLAR	
2	pieza	221-3880	BLOQUEADOR AS 221-3880 CATERPILLAR	
1	pieza	9S-5431	SLEEVE A	
2	pieza	192-0836	SWITCH 192-0836 CATERPILLAR	
1	pieza	245-3818	FILTRO PRIMARIO 245-3818 CATERPILLAR	FILTRO DE AIRE, Standard Efficiency Engine Air Filter - Primary Attributes: • Quick serviceability • Improved contamination control holds particulates during filter change
2	pieza	142-9091	PIN AS 142-9091 CATERPILLAR	
2	pieza	185-6335	SWITCH AS 185-6335 CATERPILLAR	
5	pieza	4D-4431	RODAMIENTO 4D-4431 CATERPILLAR	COJINETE ESFÉRICO, Cat® Self-Aligning Spherical Plain Bearing Attributes: • Split outer race • Optional snap ring
4	pieza	362-0289	KIT SERVICE 362-0289 CATERPILLAR	
1	pieza	284-4930	NIVEL DE ACEITE 284-4930 CATERPILLAR	
2	pieza	252-6334	FILTRO GP 252-6334 CATERPILLAR	
15	pieza	191-9588	PIN AS 191-9588 CATERPILLAR	
2	pieza	365-3339	VALVULA SOLENOIDE 365-3339 CATERPILLAR	
3	pieza	223-4240	LACTH AS 223-4240 CATERPILLAR	
7	pieza	142-8791	PIN A 142-8791 CATERPILLAR	

Cantidad	Unidad	No parte	Descripcion	Detalle
4	pieza	263-2135	BRAZO LIMPADOR 263-2135 CATERPILLAR	<p>BRAZO LIMPIADOR, Cat® Wiper Arm Assembly (Wet)</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Trouble-free installation • U-hooked wiper arm • Pantograph wiper arm (dual arm) • Steel wiper arm • Assembly includes clip, nozzle, hose and washer kit
12	pieza	1G-8878	FILTRO HYD 1G-8878 CATERPILLAR	<p>FILTRO, Advanced Efficiency Hydraulic/Transmission Filter</p> <p>Attributes:</p> <p>Cat Advanced Efficiency Hydraulic and Transmission Filters offer an increased level of protection offering the following benefits:</p> <ul style="list-style-type: none"> • Unique filter media provides unsurpassed protection • Increased debris holding capability • Increased resistance to collapse
2	pieza	242-8858	SWITCH 242-8858 CATERPILLAR	
5	pieza	145-6929 Y 142-8634	LAMP GP 145-6929 Y 142-8634 CATERPILLAR	<p>LAMPARA, Cat® Lamp Assembly (Signal)(Stop)(Tail)(12V)</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Easy to install mounting technology snaps into place and provides a clean look • Hard-coated lenses minimize environmental damage • ECE approved • Premium Cat lights are designed to meet the demanding vibration levels of both large and small machines. • Cat lights are adaptable to other machines in your fleet, and can be retrofitted to older machines.
1	pieza	286-4999	MANGUERA SUPERIOR 286-4999 CATERPILLAR	

Cantidad	Unidad	No parte	Descripcion	Detalle
2	pieza	1F-938180-788	FILTRO PRIMARIO A. ACONDICIONADO CF-938 180-7487 T	FILTRO, Cat® Cabin Air Filters Advanced filtration technology that reduces airborne irritants, creating a cleaner and more comfortable working environment for the operator.
3	pieza	134-9569	SWITCH AS 134-9569 CATERPILLAR	
2	pieza	254-2267	CONNECTION A 254-2267 CATERPILLAR	CONEXIÓN (TERMOSTATO), Cat® Connection Assembly (Water) Attributes: • Includes seal O-ring • 2 hole mount
3	pieza	334-1623	CORREA 334-1623 CATERPILLAR	CORREA ONDULADA, SERPENTINE BELT Attributes: Ancho de la correa (mm): 27,9 Cant. de bandas: 8 Longitud de la correa (mm): 2.050 Tipo de correa: Correas onduladas
4	pieza	260-1528	CORREA 260-1528 CATERPILLAR	CORREA ONDULADA, SERPENTINE BELT Attributes: Ancho de la correa (mm): 27,9 Cant. de bandas: 8 Longitud de la correa (mm): 2.050 Tipo de correa: Correas onduladas
7	pieza	171-2210	FRENO 171-2210 CATERPILLAR	DISYUNTOR, Cat® Circuit Breaker Assembly Attributes: • Environmentally sealed • Ignition protected • Manual reset pushbutton • Current (Amps): 80 • Voltage (VAC): 120 Max
5	pieza	162-0223	SWITCH A 162-0223 CATERPILLAR	
3	pieza	236-5067	SWITCH ROCKE 236-5067 CATERPILLAR	

Cantidad	Unidad	No parte	Descripcion	Detalle
1	pieza	245-3819	FILTRO DE AIRE SECONDARIO 245-3819 CATERPILLAR	FILTRO, Cat® Filters Attributes: <ul style="list-style-type: none"> • Environmentally friendly • Increased airflow with less restriction • Serves the critical role of back-up filtration • Seal Type: Radial Seal
4	pieza	142-9093	PIN 142-9093 CATERPILLAR	PASADOR, PIN Peso: 2.9 lb
2	pieza	218-6414	SELLO 218-6414 CATERPILLAR	SELLO, Cat® Seal (Cabin) Attributes: <ul style="list-style-type: none"> • Material: Polyurethane Foam • Type: Open cell foam • Designed for use in operator station • Composite sound suppression component for area between duct and LH console • Fuel, oil and water resistant • Thermal and vibration resistance
5	pieza	171-2206	FRENO 171-2206 CATERPILLAR	DISYUNTOR, Cat® Circuit Breaker Assembly Attributes: <ul style="list-style-type: none"> • Environmentally sealed • Ignition protected • Manual reset pushbutton • Corriente (amperios): 50 • Tipo: Reinicio manual • Voltaje (VAC): 120 Max
3	pieza	288-6353	MANGUERA DE RETORNO 288-6353 CATERPILLAR	
2	pieza	341-3600	SWITCH WTR T 341-3600 CATERPILLAR	INTERRUPTOR, Cat® Water Temperature Switch Attributes: OEM direct replacement part Overall Height (in): 1 Overall Height (mm): 25.4 Overall Length (in): 3.8 Overall Length (mm): 96.52 Overall Width (in): 1 Overall Width (mm): 25.4

Cantidad	Unidad	No parte	Descripcion	Detalle
2	pieza	285-9133	AISLAMIENTO 285-9133 CATERPILLAR	<p> AISLAMIENTO, Cat® Insulation (Duct)</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Material: Expanded Rubber • Material thickness: 30 mm (1.181 in) • Thermal and vibration resistance • Fuel, oil and water resistant • Designed for use in operator station
5	pieza	152-5878	MTG-A 152-5878 CATERPILLAR	<p> SISTEEMA DE MONTAJE, Cat® Mounting Systems</p> <p>Attributes:</p> <p>Systems are designed to reduce stress and strain on mounted components to increase their durability and performance life, and to contribute to operator comfort.</p>
1	pieza	159-5756	RODAMIENTO 159-5756 CATERPILLAR	<p> COJINETE, Cat® Machine Linkage Sleeve Bearing</p> <p>Attributes:</p> <p>Are steel and hardened for exceptional strength and wear life. They give you maximum strength, fatigue life, superior resistance to abrasive wear, and exceptional protection against pin spalling and galling, even in high-load conditions.</p>
5	pieza	231-733	KIT LATCH 231-733 CATERPILLAR	
5	pieza	110-6326	MAIN SPECIAL 110-6326 CATERPILLAR	<p> FILTRO, Standard Efficiency Engine Air Filter - Primary</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Quick serviceability • Improved contamination control holds particulates during filter change
4	pieza	319-2137	SOPORTE 319-2137 CATERPILLAR	

Cantidad	Unidad	No parte	Descripcion	Detalle
8	pieza	303-6658	FILTRO 303-6658 CATERPILLAR	FILTRO, Cat® Cabin Air Filters Are designed to keep out dirt, soot, sand and other contaminants, while also reducing outside odors entering the cab under normal operating conditions.
4	pieza	231-3132	FILTRO A/A 231-8132 CATERPILLAR	FILTRO, Standard Cabin Air Filter Attributes: • Fits current filter housing without modification
1	pieza	258-2533	MANGO 258-2533 CATERPILLAR	MANIJA IZQUIERDA, HANDLE-LH
4	pieza	185-7887	COUPLING 185-7887 CATERPILLAR	
1	pieza	215-8307	HANDLE GP-MO	
1	pieza	233-5927	COIL AS	
5	pieza	101-0745	ESPADA 101-0745 CATERPILLAR	ESCOBILLA, Cat® Wiper Blade Assembly (600 mm) (Front) Attributes: • Wiper blade • Matte black color • A pre-mounted adaptor for easier, quicker mounting
1	pieza	35-6224	FUSE	FUSIBLE, Cat® Fuse (20 AMP) Attributes: • Glass tube type fuse • Yellow color band • Current rating: 20 amps • Voltage rating: 32 volts

Cantidad	Unidad	No parte	Descripcion	Detalle
5	pieza	153-2994	COUPLING 153-2994 CATERPILLAR	<p>DISCONNECTOR, Quick Disconnect Coupling</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Fluid carrying component with quick connect and disconnect capability • Designed to meet or exceed the performance of industry standard parts and provide leak free connections • The image provided is for reference only. Quick Disconnect construction may differ slightly from the image depicted, but the part is designed to be interchangeable with the OEM part.
2	pieza	6K-4148	RODAMIENTO 6K-4148 CATERPILLAR	<p>COJINETE, Straight Sleeve Bearing</p> <p>Attributes:</p> <p>Are built with high grade steel and hardened for exceptional strength and wear life. They give you maximum resistance, outstanding strength and fatigue life, superior resistance to abrasive wear, and exceptional protection against pin spalling and galling, even in high-load conditions.</p>

Cantidad	Unidad	No parte	Descripcion	Detalle
22	pieza	3E-9850	TORNILLO 3E-9850 CATERPILLAR	<p>PERNO, Hex Head Bolt</p> <p>Attributes:</p> <ul style="list-style-type: none"> •Cat fasteners are manufactured to precise specifications and are built for durability, reliability, productivity •Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements. •Cat bolts, nuts, and washers are designed to work together as a system for maximum clamping force. •Coatings that meet special requirements for different applications (RoHS compliant).
4	pieza	258-3539	CORREA VE 258-3539 CATERPILLAR	<p>CORREA, NON-COGGED V-BELT</p> <p>Belt width (mm): 12.7</p> <p>Belt length (mm): 965.2</p> <p>Type of belt: Non-toothed trapezoidal belts</p> <p>Width: 12.7 mm (0.50 in)</p>
2	pieza	190-7967	ESPACIADOR 190-7967 CATERPILLAR	ESPACIADOR, SPACER
2	pieza	243-1323	CATCH 243-1323 CATERPILLAR	
10	pieza	236-4616	SWITCH 236-4616 CATERPILLAR	INTERRUPTOR, SWITCH AS-RO
4	pieza	138-4883	SWITCH 138-4883 CATERPILLAR	INTERRUPTOR, SWITCH A
7	pieza	1P-0544	NOZ 1P-0544 CATERPILLAR	
5	pieza	110-6331	FILTRO 110-6331 CATERPILLAR	<p>FILTRO, Standard Efficiency Engine Air Filter - Secondary</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Environmentally friendly. • Increased airflow with less restriction. • Serves the critical role of back-up filtration.
2	pieza	1P-0543	NOZ 1P-0543 CATERPILLAR	

Cantidad	Unidad	No parte	Descripcion	Detalle
3	pieza	357-0733	CONTROL GP	<p>GRUPO DE CONTROL, Cat® Electronic Control Assembly (9 LED Display)(Indicator Panel) Attributes:</p> <ul style="list-style-type: none"> • Designed to work in unison with the rest of your Cat components to ensure maximum potential of your equipment. • High strength • Voltage sensitive • Bright and clear • Includes twelve socket connector, wire strap, 9 LEDs (green, blue, red, amber), 11 wires (red, black, light blue, orange, white, green, pink, yellow, purple, blue, gray)
34	pieza	159-0269	CALCE 159-0269 CATERPILLAR	
2	pieza	240-6878	SELLO 240-6878 CATERPILLAR	
16	pieza	241-9444	SOPORTE 241-9444 CATERPILLAR	<p>SOPORTE, BRACKET PLACA, Steel Coupler Lock Lever Attributes: Coupler lock levers secure and limit the travel of coupler pins.</p>
5	pieza	192-2637	PLACA 192-2637 CATERPILLAR	
5	pieza	5T-5682	DRIVER 5T-5682 CATERPILLAR	
33	pieza	7X-2585	TORNILLO 7X-2585 CATERPILLAR	<p>PERNO, HEX HEAD BOLTS Attributes:</p> <ul style="list-style-type: none"> •Bolt Type: Hex Head Bolts •Finish: Zinc Plated •Thread: Coarse Thread UNC
7	pieza	236-5069	RELE 12V 236-5069 CATERPILLAR	<p>RELÉ, RELAY-12V Attributes:</p> <ul style="list-style-type: none"> •Terminal: 5 SPDT •Voltaje (voltios): 12
5	pieza	105-6717	SWITCH AS 105-6717 CARTERPILLAR	VÁLVULA, VALVE
2	pieza	223-5942	SWITCH AS-R 223-5942 CATERPILLAR	INTERRUPTOR DERECHO, SWITCH AS.-R

Cantidad	Unidad	No parte	Descripcion	Detalle
4	pieza	284-3743	SELLO 284-3743 CATERPILLAR	<p>SELLO, Cat® Seal</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Material: Expanded rubber • Designed for use in engine enclosure • Corrosion resistance • Highly durable • Leak proof • Seal used in the cab debris barrier • Material thickness: 6.4 mm (0.25 in)
3	pieza	9V-6832	LATCH 9V-6832 CATERPILLAR	PESTILLO, LATCH
2	pieza	218-6381	ESPACIADOR 218-6381 CATERPILLAR	ESPACIADOR, Spacer
2	pieza	211-5172	CORREA VE 211-5172 CATERPILLAR	Correa, Cat® Vee Belt
2	pieza	142-9320	SWITCH 142-9320 CATERPILLAR	Attributes: OEM direct replacement part INTERRUPTOR, SWITCH A
5	pieza	5P-4889	SELLO 5P-4889 CATERPILLAR	<p>SELLO ANULAR, O-ring</p> <p>Attributes:</p> <p>are made from materials that are matched to the fluids, temperatures and pressures found in Cat® engines and machines. The materials resist wear and extrusion, and provide superior resistance to seal compression set. In addition, certain Cat® O-Rings are coated with PTFE to minimize seal twisting and cutting during seal installation.</p>
12	pieza	7K-9211	SELLO 7K-9211 CATERPILLAR	SEAL, SELLO
10	pieza	238-7693	MOLA 238-7693 CATERPILLAR	SPRING, RESORTE

Cantidad	Unidad	No parte	Descripcion	Detalle
2	pieza	240-6879	SELLO 240-6879 CATERPILLAR	<p>SELLO, Cat® Sea</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Material: Polyurethane Foam • Type: Open cell foam • Designed for use in operator station • Seals used to insulate console • Fuel, oil and water resistant • Thermal and vibration resistance • Material thickness: 25.4 mm (1 in)
2	pieza	285-8565	ASLAMIENTO 285-8565 CATERPILLAR	<p>ASLANTE, Insultion</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Material: Polyurethane foam • Type: Open cell foam • Material thickness: 25.4 mm (1 in) • Thermal and vibration resistance • Fuel, oil and water resistant • Designed for use in operator station
1	pieza	9T-8676	BEARING	<p>COJINETE, Bearing</p> <p>Attributes:</p> <p>are built with high grade steel and hardened for exceptional strength and wear life. They give you maximum strength to abrasive wear, and exceptional protection against pin spalling and galling, even in high-load conditions.</p>
3	pieza	240-6877	SELLO 240-6877 CATERPILLAR	<p>SELLO, Cat® Seal (Duct)</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Material: Polyurethane Foam • Type: Open cell foam • With pressure sensitive adhesive tape • Designed for use in operator station • Seals used to insulate console • Fuel, oil and water resistant • Thermal and vibration resistance • Material thickness: 31.8 mm (1.25 in)

Cantidad	Unidad	No parte	Descripcion	Detalle
8	pieza	5V-0354	WASHER 5V-0354 CATERPILLAR	ARANDELA, Flat Washer Attributes: •Cat fasteners are manufactured to precise specifications and are built for durability, reliability, productivity •Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements. •Cat bolts, nuts, and washers are designed to work together as a system for maximum clamping force. •Coatings that meet special requirements for different applications (RoHS compliant).
				PERCUTOR, STRIKER A
				ESPACIADOR, SPACER
				ESPACIADOR, SPACER
				RETENEDOR, RETAINER
5	pieza	8T-3848	STRIKER 8T-3848 CATERPILLAR	Attributes: •Two coil retainer that allows to hold the pin much stronger with respect to the standard retainer and pin. •Through the tension spring retainer, lateral loads are absorbed and the dispersion of this component is eliminated. •The wear of the abrasive products between the pin and the retainer is reduced. •The heavy-duty holder holder is colored ivory to distinguish it from the standard retainer assembly that has a black holder holder.
4	pieza	165-9104	ESPACIADOR 165-9104 CATERPILLAR	
21	pieza	9K-9731	ESPACIADOR 9K-9731 CATERPILLAR	
37	pieza	114-0359	RETAINER AS 114-0359 CATERPILLAR	
1	pieza	239-9957	SENSOR GP LE	CONJUNTO DE MANIJA, HANDLE AS
1	pieza	218-6118	HANDLE AS	

Cantidad	Unidad	No parte	Descripcion	Detalle
2	pieza	285-8570	AISLAMIENTO 285-8570 CATERPILLAR	MATERIAL AISLANTE, INSULATION Attributes: <ul style="list-style-type: none"> • Material: Polyurethane foam • Type: Open cell foam • Material thickness: 50.8 mm (2 in) • Thermal and vibration resistance • Fuel, oil and water resistant • Designed for use in operator station
6	pieza	254-2270	SELLO 254-2270 CATERPILLAR	SELLO ANULAR EPDM (75), SEAL-O-RING Attributes: OEM direct replacement part
8	pieza	7K-9206	ESPACIADOR 7K-9206 CATERPILLAR	7K-9206: SELLO, 7K-9206: SEAL ESPACIADOR, SPACER
5	pieza	132-7551	ESPACIADOR 132-7551 CATERPILLAR	
1	pieza	IP-1835		
3	pieza	142-8823	JUNTA 142-8823 CATERPILLAR	EMPAQUETADURA, GASKET
8	pieza	159-5797	MOLA 159-5797 CATERPILLAR	RESORTE, SPRING
7	pieza	6V-8642	CONECTOR 6V-8642 CATERPILLAR	CONECTOR, STRAIGHT ADAPTER Attributes: <ul style="list-style-type: none"> • Fluid carrying component • Designed to meet or exceed the performance of industry standard parts and provide leak free connections • The image provided is for reference only. Adapter construction may differ slightly from the image depicted, but the part is designed to be interchangeable with the OEM part.
4	pieza	154-3986	SWITCH AS 154-3986 CATERPILLAR	CONJUNTO DE INTERRUPTOR, SWITCH AS
5	pieza	231-7372	CATCH 231-7372 CATERPILLAR	TRABA, CATCH
1	pieza	2P-7846	MANGUERA DE RETORNO 2P-7846 CATERPILLAR	MANGUERA, HOSE
8	pieza	FS1251	FILTRO DE AGUA COMBUSTIBLE FS 1251 GHONER	

Cantidad	Unidad	No parte	Descripcion	Detalle
2	pieza	5V-0353	WASHER 5V-0353 CATERPILLAR	<p>ARANDELA, WASHER</p> <p>Attributes:</p> <ul style="list-style-type: none"> •Cat fasteners are manufactured to precise specifications and are built for durability, reliability, productivity •Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements. •Cat bolts, nuts, and washers are designed to work together as a system for maximum clamping force. •Coatings that meet special requirements for different applications (RoHS compliant).
15	pieza	8T-4223	WASHER 8T-4223 CATERPILLAR	FLAT WASHER, ZINC FLAKE
2	pieza	232-1789	SPRING AS-G	CONJUNTO DE RESORTE: G, SPRING AS.-G
28	pieza	096-6467	WASHER 096-6467 CATERPILLAR	ARANDELA, WASHER
14	pieza	68-4497	TAPA 68-4497 CATERPILLAR	
6	pieza	305-2969	TORNILLO 305-2969 CATERPILLAR	TORNILLO: MARIPOSA, SCREW-THUMB
47	pieza	8T-4173	TORNILLO 8T-4173 CATERPILLAR	<p>PERNOS DE CABEZA HEXAGONAL, ZINC LAMELAR, BOLT-HEX HEAD</p> <p>Attributes:</p> <ul style="list-style-type: none"> •Cat fasteners are manufactured to precise specifications and are built for durability, reliability, productivity •Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements. •Cat bolts, nuts, and washers are designed to work together as a system for maximum clamping force. •Coatings that meet special requirements for different applications (RoHS compliant).
12	pieza	CF-9381118738	FILTRO PRIMARIO AIRE ACONDICIONADO CF-938 111-8738	

Cantidad	Unidad	No parte	Descripcion	Detalle
14	pieza	159-5772	STUD 159-5772 CATERPILLAR	<p>PRISIONERO, STUD</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Cat fasteners & hardware are manufactured to precise specifications and are built for durability, reliability, productivity • Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements • Coatings that meet special requirements for different applications (RoHS compliant)
1	pieza	142-7503	LAMP G	<p>GRUPO DE LUZ, LAMP ASSEMBLY</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Hard-coated lenses minimize environmental damage • Easy to install • Premium Cat lights are designed to meet the demanding vibration levels of both large and small machines. • Cat lights are adaptable to other machines in your fleet, and can be retrofitted to older machines.
15	pieza	9X-8258	WASHER 9X-8258 CATERPILLAR	<p>ARANDELA PLANA CON ZINC LAMELAR, WASHER-HARD SELLO, SEAL</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Material: Expanded rubber • Designed for use in engine enclosure
8	pieza	284-3595	SELLO 284-3595 CATERPILLAR	<ul style="list-style-type: none"> • Corrosion resistance • Highly durable • Leak proof • Seal used between the two plates of the cab debris barrier
3	pieza	166-2560	MOLA 166-2560 CATERPILLAR	<ul style="list-style-type: none"> • Material thickness: 6 mm (0.24 in) <p>PASADOR DE RESORTE, PIN-SPRING</p>

Cantidad	Unidad	No parte	Descripcion	Detalle
4	pieza	228-6054	CUERPO 228-6054 CATERPILLAR	CONJUNTO DE ESTRUCTURA: VISERA, BEZEL BODY ASSEMBLY. Attributes: • Shock and vibration resistant design increases lamp survivability • Able to withstand damage • Water resistant • Easy installation
9	pieza	4K-0684	WASHER 4K-0684 CATERPILLAR	ARANDELA PLANA CON RECUBRIMIENTO DE FOSFATO Y ACEITE, WASHER-HARD
4	pieza	241-9449	BRUSH AS	CONJUNTO DE ESCOBILLA. BRUSH AS. CONTRATUERCA, BULKHEAD NUT. Attributes: • Fluid carrying tube connection component • Designed to meet or exceed the performance of industry standard parts and provide leak free connections • The image provided is for reference only. The construction of the part may differ slightly from the image depicted, but the part is designed to be interchangeable with the OEM part.
11	pieza	6V-9170	GUEDEJA 6V-9170 CATERPILLAR	RECEPTOR, RECEIVER. Attributes: • Heavy-duty nylon push-pull retainer receiver • Quality you expect for your equipment
2	pieza	231-8142	RECEPTOR 231-8142 CATERPILLAR	ANILLO, RING.
2	pieza	4S-5875	ANEL 4S-5875 CATERPILLAR	CONJUNTO DE HOJA, WIPER BLADE ASSEMBLY. Attributes: • Wrought material wiper blade • Includes mounting hardware
2	pieza	6V-7419	ESPADA 6V-7419 CATERPILLAR	PALANCA: AJUSTE, LEVER- ADJUST.
1	pieza	168-8999	LEVER ADJUST	

Cantidad	Unidad	No parte	Descripcion	Detalle
12	pieza	231-8129	PIN-RETAIN 231-8129 CATERPILLAR	PASADOR: RETENCIÓN, PIN-RETAINER. Attributes: <ul style="list-style-type: none"> • Heavy-duty nylon push-pull retainer pin • Color: Natural • Quality you expect for your equipment
4	pieza	2D-5248	JUNTA 2D-5248 CATERPILLAR	EMPAQUETADURA, GASKET.
15	pieza	7T-5439	WASHER 8T-5439 CATERPILLAR	
32	pieza	195-6754	PIN SPRING 195-6754 CATERPILLAR	PIN-SPRING, PIN-SPRING. Attributes: <ul style="list-style-type: none"> • Cat fasteners & hardware are manufactured to precise specifications and are built for durability, reliability, productivity • Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements • Coatings that meet special requirements for different applications (RoHS compliant)
5	pieza	111-0859	TORNILLO 111-0859 CATERPILLAR	PERNO,BOLT.
5	pieza	156-1200	ELEMENT	SEPARADOR DE AGUA DEL COMBUSTIBLE, Ultra High Efficiency Fuel Water Separator Attributes: <ul style="list-style-type: none"> • Proprietary filter media provides unsurpassed protection. • Acrylic beads prevent bunching • Spiral roving provides greater pleat stability and maximum dirt holding capability • Nylon center tube prevents metal contamination • Molded end caps prevent leaks

Cantidad	Unidad	No parte	Descripcion	Detalle
5	pieza	9X-7383	ANEL 9X-7383 CATERPILLAR	<p>SELLO ANULAR, O-ring</p> <p>Atributos:</p> <ul style="list-style-type: none"> • Fabricados con materiales que son aptos para los fluidos, las temperaturas y las presiones de los motores y las máquinas Cat. • Resistentes al desgaste y la extrusión.
30	pieza	2D-4687	AJUSTE 2D-4687 CATERPILLAR	.
17	pieza	8T-4178	TORNILLO 8T-4178 CATERPILLAR	<p>CABEZA BOLT-HEX, BOLT-HEX HEAD.</p> <p>JUNTA TORICA, O-RING.</p> <p>Attributes:</p> <p>Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines. The materials resist wear and extrusion, and provide superior resistance to seal compression set. In addition, certain Cat O-Rings are coated with PTFE to minimize seal twisting and cutting during seal installation.</p> <p>Dimensions of our O-Rings are consistently held to tight tolerances to ensure they fit properly into seal grooves with the necessary seal compression.</p> <p>With over 2500 O-Rings in different sizes and materials, Cat O-Rings are your best solution for your Cat and</p>
10	pieza	9X-7382	SELLO 9X-7382 CATERPILLAR	

Cantidad	Unidad	No parte	Descripcion	Detalle
				<p>JUNTA TORICA, O-RING.</p> <p>Attributes:</p> <p>Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines. The materials resist wear and extrusion, and provide superior resistance to seal compression set. In addition, certain Cat O-Rings are coated with PTFE to minimize seal twisting and cutting during seal installation.</p> <p>Dimensions of our O-Rings are consistently held to tight tolerances to ensure they fit properly into seal grooves with the necessary seal compression.</p> <p>With over 2500 O-Rings in different sizes and materials, Cat O-Rings are your best solution for your Cat and</p>
16	pieza	9X-7381	SELLO 9X-7381 CATERPILLAR	
1	pieza	225-8019	GASKET-PUMP	<p>JUNTA-BOMBA-CARCASA, GASKET-PUMP-HOUSING.</p> <p>Attributes:</p> <p>OEM direct replacement part</p>

Cantidad	Unidad	No parte	Descripcion	Detalle
22	pieza	9X-7380	SELLO 9X-7380 CATERPILLA	<p>JUNTA TORICA, O-RING.</p> <p>Attributes:</p> <p>Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines. The materials resist wear and extrusion, and provide superior resistance to seal compression set. In addition, certain Cat O-Rings are coated with PTFE to minimize seal twisting and cutting during seal installation.</p> <p>Dimensions of our O-Rings are consistently held to tight tolerances to ensure they fit properly into seal grooves with the necessary seal compression.</p> <p>With over 2500 O-Rings in different sizes and materials, Cat O-Rings are your best solution for your Cat and MTG-BANDA, MTG-BAND.</p>
				<p>CABEZA BOLT-HEX, BOLT-HEX HEAD.</p>
1	pieza	231-0169	MTG-BAND	
8	pieza	8T-4184	TORNILLO 8T-4184 CATERPILLAR	
8	pieza	3D-2724	SELLO 3D-2724 CATERPILLAR	
1	pieza	173-2205	COVER	
12	pieza	4F-3646	TORNILLO 4F-3646 CATERPILLAR	<p>CUBIERTA, COVER.</p> <p>PERNO DE ARADO, PLOW BOLT.</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Thread size: ½" - 13 TPI • Bolt length: 1 ½" • Dome-shaped head for added strength and wear resistance • Exceeds SAE Grade 8 specifications for tensile strength and proof load

Cantidad	Unidad	No parte	Descripcion	Detalle
21	pieza	315-5493	WASHER 315-5493 CATERPILLAR	<p>LAVADO-DURO, WASHER-HARD.</p> <p>Attributes:</p> <ul style="list-style-type: none"> *Cat fasteners are manufactured to precise specifications and are built for durability, reliability, productivity *Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements. *Cat bolts, nuts, and washers are designed to work together as a system for maximum clamping force. *Coatings that meet special requirements for different applications (RoHS compliant) .
16	pieza	9X-1046	RODILLO 9X-1046 CATERPILLAR	<p>CABEZAL DE ROSCA, SCREW-TRUSS HEAD.</p> <p>Attributes:</p> <ul style="list-style-type: none"> •Cat fasteners are manufactured to precise specifications and are built for durability, reliability, productivity •Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements. •Cat bolts, nuts, and washers are designed to work together as a system for maximum clamping force. •Coatings that meet special requirements for different applications (RoHS compliant).
7	pieza	8T-4123	WASHER 8T-4123 CATERPILLAR	LAVADO-DURO, WASHER-HARD.

Cantidad	Unidad	No parte	Descripcion	Detalle
21	pieza	7J-9108	SELLO 7J-9108 CATERPILLAR	<p>JUNTA TORICA ORFS, ORFS O-RING.</p> <p>Attributes:</p> <p>Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines. The materials resist wear and extrusion, and provide superior resistance to seal compression set. In addition, certain Cat O-Rings are coated with PTFE to minimize seal twisting and cutting during seal installation.</p> <p>Dimensions of our O-Rings are consistently held to tight tolerances to ensure they fit properly into seal grooves with the necessary seal compression.</p> <p>With over 2500 O-Rings in different sizes and materials. Cat O-Rings are</p>
4	pieza	8T-6870	TORNILLO 8T-6870 CATERPILLAR	<p>CABEZA DE PERNO-HEX, BOLT-HEX HEAD.</p> <p>Attributes:</p> <p>*Cat fasteners are manufactured to precise specifications and are built for durability, reliability, productivity</p> <p>*Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements.</p> <p>*Cat bolts, nuts, and washers are designed to work together as a system for maximum clamping force.</p> <p>*Coatings that meet special requirements for different applications (RoHS compliant).</p>
12	pieza	6V-7744	GUEDEJA 6V-7744 CATERPILLAR	TUERCA DE CIERRE, LOCK-NUT.
16	pieza	9X-8918	RODILLO 9X-8918 CATERPILLAR	TORNILLO, SCREW.
10	pieza	131-5879	WASHER 131-5879 CATERPILLAR	

Cantidad	Unidad	No parte	Descripcion	Detalle
18	pieza	190-7979	TORNILLO 190-7979 CATERPILLAR	PERNO, BOLT. INDICADOR DE NIVEL DE ACEITE, GAGE OIL.
1	pieza	293-4781	GAGE OIL	PERNOS DE CABEZA HEXAGONAL CON ZINC LAMELAR, BOLT-HEX HEAD. Attributes: *Cat fasteners are manufactured to precise specifications and are built for durability, reliability, productivity *Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements. *Cat bolts, nuts, and washers are designed to work together as a system for maximum clamping force. *Coatings that meet special requirements for different applications (RoHS compliant).
16	pieza	8T-6912	TORNILLO 8T-6912 CATERPILLAR	LOCKNUT, LOCK-NUT. Attributes: •Cat Fasteners are manufactured to precise specifications and are built for durability, reliability, productivity •Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements. •Cat bolts, nuts, and washers are designed to work together as a system for maximum clamping force. •Coatings that meet special requirements for different applications (RoHS compliant).
64	pieza	8T-4778	GUDEJA 8T-4778 CATERPILLAR	ARANDELA PLANA CON ZINC LAMELAR, WASHER-HARD. ENCHUFE DE BOTÓN, PLUG- BUTTON. ARANDELA, WASHER.
36	pieza	7X-7729	WASHER 7X-7729 CATERPILLAR	
12	pieza	287-6603	BOTON 287-6603 CATERPILLAR	
6	pieza	5G-6505	WASHER	

Cantidad	Unidad	No parte	Descripcion	Detalle
12	pieza	7Y-7256	RODILLO 7Y-7256 CATERPILLAR	<p>TORNILLO, SCREW-TRUSS HEAD.</p> <p>Attributes:</p> <ul style="list-style-type: none"> •Cat fasteners are manufactured to precise specifications and are built for durability, reliability, productivity •Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements. •Cat bolts, nuts, and washers are designed to work together as a system for maximum clamping force. •Coatings that meet special requirements for different applications (RoHS compliant).
4	pieza	6V-6715	PINO A 6V-6715 CATERPILLAR	TORNILLO, SCREW.
1	pieza	125-3518	SELLO 125-3518 CATERPILLAR	<p>SELLO, Cat® Seal</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Material: Expanded rubber • Designed for use in engine enclosure • Corrosion resistance • Highly durable • Leak proof • Seal used in the cab debris barrier • Material thickness: 6.4 mm (0.25 in)
98	pieza	8T-4224	WASHER 8T-4224 CATERPILLAR	ARANDELA PLANA CON ZINC
16	pieza	8T-4244	TORNILLO 8T-4244 CATERPILLAR	LAMELAR, WASHER-HARD.
1	pieza	241-9442	PLATE	HEX NUT, HEX HEAD NUT. PLACA, PLATE.

Cantidad	Unidad	No parte	Descripcion	Detalle
42	pieza	8T-4191	TORNILLO 8T-4191 CATERPILLAR	<p>PERNOS DE CABEZA HEXAGONAL CON ZINC LAMELAR, BOLT-HEX HEAD.</p> <p>Attributes:</p> <p>*Cat fasteners are manufactured to precise specifications and are built for durability, reliability, productivity</p> <p>*Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements.</p> <p>*Cat bolts, nuts, and washers are designed to work together as a system for maximum clamping force.</p> <p>*Coatings that meet special requirements for different applications (RoHS compliant).</p>
4	pieza	8L-2786	ANEL 8L-2786 CATERPILLAR	<p>SELLO ANULAR FKM (75), O-RING.</p> <p>Attributes:</p> <p>Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines. The materials resist wear and extrusion, and provide superior resistance to seal compression set. In addition, certain Cat O-Rings are coated with PTFE to minimize seal twisting and cutting during seal installation.</p> <p>Dimensions of our O-Rings are consistently held to tight tolerances to ensure they fit properly into seal grooves with the necessary seal compression.</p> <p>With over 2500 O-Rings in different sizes and materials, Cat O-Rings are your best solution for your Cat and</p>
22	pieza	5P-4116	WASHER 5P-4116 CATERPILLAR	<p>ARANDELA PLANA CON ZINC LAMELAR, LAVADO-DURO.</p>

Cantidad	Unidad	No parte	Descripcion	Detalle
12	pieza	1D-5117	NOZ 1D-5117 CATERPILLAR	<p>TUERCA, HEX HEAD NUT.</p> <p>Attributes:</p> <ul style="list-style-type: none"> •Cat Fasteners are manufactured to precise specifications and are built for durability, reliability, productivity •Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements. •Cat bolts, nuts, and washers are designed to work together as a system for maximum clamping force. •Coatings that meet special requirements for different applications (RoHS compliant).
8	pieza	8T-4133	NOZ 8T-4133 CATERPILLAR	<p>NUT, HEX HEAD NUT.</p> <p>TORNILLO, SCREW.</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Corrosion resistance • Excellent tensile strength • Premium Cat lights are designed to meet the demanding vibration levels of both large and small machines. • Cat lights are adaptable to other machines in your fleet, and can be retrofitted to older machines.
44	pieza	228-6056	RODILLO 228-6056 CATERPILLAR	<p>GRUPO DE BOMBA DE AGUA, PUMP GP-WATER.</p> <p>Attributes:</p> <p>Cat® parts are manufactured to precise specifications and are built for durability, reliability, productivity, less environmental impact, and reuse.</p>
1	pieza	355-2252	PUMP GP WATE	<p>CONJUNTO DE TAPÓN: ELÉCTRICO, PLUG ASSEMBLY.</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Nylon • Integrated latch • Oil and fuel resistant
1	pieza	160-8124	PLUG AS-ELEK	

Cantidad	Unidad	No parte	Descripcion	Detalle
54	pieza	4F-3658	TORNILLO PARA CUCHILLA 4F-3658 CATERPILLAR	<p>PLOW BOLT, PLOW BOLT.</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Thread size: 5/8" - 11 TPI • Bolt length: 3" • Dome-shaped head for added strength and wear resistance • Exceeds SAE Grade 8 specifications for tensile strength and proof load
12	pieza	8T4222	WASHER	<p>ARANDELA PLANA CON ZINC LAMELAR, WASHER-HARD. WASHER, WASHER.</p> <p>Attributes:</p> <ul style="list-style-type: none"> •Cat fasteners are manufactured to precise specifications and are built for durability, reliability, productivity
9	pieza	165-7095	WASHER 165-7095 CATERPILLAR	<ul style="list-style-type: none"> •Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements. •Cat bolts, nuts, and washers are designed to work together as a system for maximum clamping force. •Coatings that meet special requirements for different applications (RoHS compliant).
8	pieza	7N-5876	LAMP 7N-5876 CATERPILLAR	<p>LÁMPARAS ELÉCTRICAS EN MINIATURA, MINIATURE ELECTRICAL LAMPS.</p> <p>Attributes:</p> <ol style="list-style-type: none"> 1) Premium Cat Lights are designed to meet the demanding vibration levels of both large and small machines 2)Cat Lights are adaptable to other machines in your fleet, and can be retrofitted to older machines.

Cantidad	Unidad	No parte	Descripcion	Detalle
54	pieza	4K-0367	TUERCA P/ CUCHILLA 4K-0367 CATERPILLAR	<p>CUTTING EDGE NUT, SHEX HEAD NUT.</p> <p>Attributes:</p> <p>*Cat Fasteners are manufactured to precise specifications and are built for durability, reliability, productivity</p> <p>*Strength & Quality – Fasteners meet or exceed ISO, ASTM, ASME & SAE requirements.</p> <p>*Cat bolts, nuts, and washers are designed to work together as a system for maximum clamping force.</p> <p>*Coatings that meet special requirements for different applications (RoHS compliant).</p>
16	pieza	135-9292	PIN GET 135-9292 CATERPILLAR	GET, PIN.
6	pieza	220-1523	FILTRO 220-1523 CATERPILLAR	<p>FILTRO DE ACEITE DEL MOTOR, ENGINE OIL FILTERS.</p> <p>GRUPO DE CUBIERTA, COVER.</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Material: steel • Easy to install and less maintenance • One retaining pin • Highly durable
6	pieza	308-5079	COVER GP 308-5079 CATERPILLAR	INTERRUPTOR, SWITCH.
5	pieza	119-9631	SWITCH 119-9631 CATERPILLAR	<p>MOTOR, MOTOR.</p> <p>Attributes:</p> <ul style="list-style-type: none"> • Blower cage • Molded thermo-plastic blower • Color: Black • Two blower motors • Volts: 12V • Long life
2	pieza	295-5440	MOTOR 295-5440 CATERPILLAR	

Cantidad	Unidad	No parte	Descripcion	Detalle
2	pieza	9U-4143	MANGUERA A 9U-4143 CATERPILLAR	MANGUERA A, HOSE A. Attributes: Constructed with a special high temperature synthetic rubber tube and single high tensile steel braid reinforcement. The synthetic outer cover is resistant to oil, weather, and abrasion. These features provide long life and excellent dependability.
2	pieza	171-2212	FRENO 171-2212 CATERPILLAR	CONJUNTO DE DISYUNTORCIRCUIT BREAKER ASSEMBLY. Attributes: • Environmentally sealed • Ignition protected • Manual reset pushbutton
1	pieza	208-7473	ANEL 208-7473 CATERPILLAR	CONJUNTO DE BRIDA, FLANGE AS
1,741	Total			